

# U*i* Product Data and Information

## Kevlar® Sleeves




X Denotes NOT Tested

<b>Our Reference</b>	KKS
<b>Sizes Available</b>	10,14,18,22
<b>Quantity per Pack</b>	10 pieces
<b>Quantity per Box</b>	100



X1XXXX



1 3 4 X



## PRODUCT DESCRIPTION

Kevlar® Sleeves are available in FOUR different lengths, 10, 14, 18 and 22 inches. Double layered construction with thumb slot, the sleeves may be worn on either arm. The flexible seamless construction gives excellent forearm and wrist protection from cuts, abrasion and heat. These sleeves are not designed to protect the hands and should be used in conjunction other hand protection.

## TYPICAL APPLICATIONS

Cut and abrasion protection, heat protection.

**These items are sold singly, NOT in pairs**

## TECHNICAL DETAILS

Mechanical data in accordance with EN 388

<b>Abrasion</b>	<b>Resistance Level</b>	<b>1</b>
<b>Cut</b>	<b>Resistance Level</b>	<b>3</b>
<b>Tear</b>	<b>Resistance Level</b>	<b>4</b>
<b>Puncture</b>	<b>Resistance Level</b>	<b>X</b>

Thermal test data in accordance with EN 407

<b>Contact Heat</b>	<b>Resistance Level</b>	<b>1</b>
---------------------	-------------------------	----------

**WARNING** Not for use with liquids

Chlorine bleach can cause strength loss on KEVLAR® at low concentrations. Do NOT use in or around chlorine bleach.

**Please Note:**Not designed to protect the hand area

Tested in accordance with EN 388, EC type examination carried out by: SGS Yarsley International Certification Services Ltd.  
SGS House, 217 - 221 London Road, Camberley, Surrey, GU15 3EY, United Kingdom. (NOTIFIED BODY 0120)

## OTHER INFORMATION

### **CLEANING / MAINTENANCE**

Both new and used sleeves should be thoroughly inspected before being worn to ensure no damage is present. Sleeves should not be left in a contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. Sleeves may be washed after removal with mild detergent solution at a temperature not exceeding 40 deg C and allowed to dry naturally, ideally with some air movement.

### **STORAGE**

Sleeves should be ideally stored in cool dry conditions in the original package and out of direct sunlight.

### **OBSOLESCENCE**

When stored as recommended will not suffer change in mechanical properties for up to 5 years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility of the user to ascertain the suitability of the sleeves for the intended use.

### **GENERAL**

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.

### **PLEASE NOTE**

The results of physical tests should help in sleeves selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer to determine sleeves suitability for the intended use.