



OTB Overhead Track Full Leaf Frameless Bi-Fold Quote/Order Request Form

Email Completed Checklist to architectural@crlaurence.com or fax to Architectural Technical Sales at (800) 587-7501. Then call to discuss: (800) 421-6144 (U.S.), (877) 421-6144 (Canada), or (323) 588-1281 (International). Ask for Extension 17700. This form is also available online at crlaurence.com.

COMPANY NAME _____	PHONE _____
CONTACT _____	ACCOUNT NO. _____
JOB NAME _____	FAX _____
	EMAIL _____

QUOTE **ORDER P.O. #** _____ **DATE** _____

RAIL FINISH

- Satin Anodized (SA)
- Black Bronze Anodized (DU)
- Brushed Stainless (BS)
- Polished Stainless (PS)
- Polished Brass (PB)
- Satin Brass (SB)
- Black Powder Coat PSP290005 (BL)
- Kynar
Specify Color: _____
- Stocked Powder Coat
Specify Color: _____

RAIL SIZE / RAIL TYPE

- 4" Square Rails Only

GLASS THICKNESS

- 3/8"
- 1/2"

LOCK OPTIONS

- With Lock
- Without Lock

GUIDE TYPE

- Recessed (Standard)
- Threshold
- THOT1 THOT2 THOT3

System Panels must not exceed any of the following guidelines:

Maximum Panel Height: 108" (2.74m)

MAXIMUM PANEL WIDTH

2 Panels and 4 Panels: 39" (991 mm)

3 Panels and 6 Panels: 34" (864 mm)

Minimum Panel Width: 15" (381 mm)

Maximum Panel Weight: 170 pounds (77 kg)

Minimum Door Width with Lock: 15" (381 mm)

NOTE: Bi-Fold Doors have a maximum of three panels on each side.

NOTE: OTB Bi-Fold for Interior Use Only.

ADDITIONAL NOTES OR SKETCHES

FOR OFFICE USE ONLY

TAKEN BY: _____

PRICED BY: _____


EDITED BY: _____

APPROVED BY _____ **DATE** _____




0F0143_10-2-19

FLOOR GUIDE OPTIONS


Recessed



Threshold Options






OTB STANDARD CONFIGURATIONS






MODEL	MAXIMUM OPENING WIDTH
OTB2	78-3/8" (1.95 m)
OTB3	102-9/16" (2.6 m)
OTB4BP	156-3/4" (3.98 m)
OTB6BP	205-1/8" (5.21 m)

OTB2
2 Panel Full Leaf Bi-Fold




OTB3
3 Panel Full Leaf Bi-Fold




NOTE: Handles not included.

OTB STANDARD CONFIGURATIONS (CONTINUED)

OTB4BP
 4 Panel Full Leaf Bi-Fold



OTB6BP
 6 Panel Full Leaf Bi-Fold



NOTE: Handles not included.