# UC Product Data and Information

## **Superior Fully Coated Latex Glove**

<b>Our Reference</b>	LGB
Sizes Available	8,9,10
<b>Quantity per Pack</b>	12 pairs
Quantity per Box	144



#### **PRODUCT DESCRIPTION**

These high quality gloves have a medium weight crinkle natural rubber coating on a 100% cotton jersey liner. Actifresh® treated to minimise odours and risk of cross infections, these gloves offer good all round performance.

## **TYPICAL APPLICATIONS**

Local authorities, construction, assembly, general handling.

#### **TECHNICAL DETAILS**

#### Please Note

These gloves contain natural rubber latex which may produce an allergic reaction in some individuals. If affected please discontinue use immediately and seek medical advice. Users with a known sensitivity to rubber or latex products should avoid contact.

#### Not for use with liquids



Mechanical test data in accordance with EN 388

Abrasion	Resistance Level	1
Cut	<b>Resistance Level</b>	1
Tear	<b>Resistance Level</b>	3
Puncture	<b>Resistance Level</b>	1

The results are taken from the palm area of the gloves and the un-coated surface may have reduced performance levels

Tested in accordance with EN 388, EC type examination carried out by: SGS Yarsley International Certification Services Ltd. SGS House, 217 - 221 London Road, Camberley, Surrey, GU15 3EY, United Kingdom. (NOTIFIED BODY 0120)

### **OTHER INFORMATION**

CLEANING / MAINTENANCE	Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in a contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. Gloves may be washed with mild detergent then rinsed with clean water and allowed to dry, ideally with some air movement. Care should be taken when removing gloves to avoid any contaminant contacting bare skin.
STORAGE	Gloves should be ideally stored in cool dry conditions in the original package and out of direct sunlight.
OBSOLESCENCE	When stored as recommended will not suffer change in mechanical properties for up to 5 years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility of the user to ascertain the suitability of the glove for the intended use.
GENERAL	None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.
PLEASE NOTE	The results of physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.