

U*i* Product Data and Information

Cross Grip Glove

Our Reference	CGM
Sizes Available	L
Quantity per Pack	12 pairs
Quantity per Box	144

PRODUCT DESCRIPTION

Seamless knitted construction with an elasticated wrist. The liner is coated with a clear, soft PVC criss cross pattern on both sides producing an ambidextrous glove with excellent dry grip.

TYPICAL APPLICATIONS


Local authorities, construction, general handling, maintenance.

TECHNICAL DETAILS

Not for use with liquids

Please Note

We do not recommend these gloves where resistance to puncture by sharp objects is required as hand protection is limited to the PVC coated areas of the glove



Mechanical test data in accordance with EN 388

Abrasion	Resistance Level 1
Cut	Resistance Level 1
Tear	Resistance Level 3
Puncture	Resistance Level 1

The results are taken from the palm area of the gloves

Tested in accordance with EN 388, EC type examination carried out by: SGS Yarsley International Certification Services Ltd. SGS House, 217 - 221 London Road, Camberley, Surrey, GU15 3EY, United Kingdom. (NOTIFIED BODY 0120)

OTHER INFORMATION

CLEANING / MAINTENANCE

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in a contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. . Laundering of these gloves is not recommended. **Care should be taken when removing gloves to avoid any contaminant contacting bare skin.**

STORAGE

Gloves should be ideally stored in cool dry conditions in the original package and out of direct sunlight.

OBSOLESCENCE

When stored as recommended will not suffer change in mechanical properties for up to 5 years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility of the user to ascertain the suitability of the glove for the intended use.

GENERAL

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.

PLEASE NOTE

The results of physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.