

UCi Product Data and Information

Medium Weight Nitrile Glove

Our Reference AV-725P
Sizes Available 7,8, 9, 10
Quantity per Pack 12 pairs
Quantity per Box 144



2 1 1 1



PRODUCT DESCRIPTION

A standard quality, medium weight Nitrile coating on a jersey cotton lining with a comfortable knitted wrist. The un-coated back improves ventilation and comfort. The gloves offer excellent resistance to cuts and abrasion. Good resistance to oils and greases. Treated with *Actifresh*®, an antibacterial agent which helps retard odours and eliminate germs.

TYPICAL APPLICATIONS

General all round handling, engine manufacture, light fabrication.

TECHNICAL DETAILS

These gloves are manufactured under an ISO 9002 Quality System

Mechanical test data in accordance with EN 388

Not recommended for use with liquids

Abrasion	Resistance Level	2
Cut	Resistance Level	1
Tear	Resistance Level	1
Puncture	Resistance Level	1

The results are taken from the palm area of the gloves

EC type examination(s) carried out by: SGS United Kingdom Ltd, Ellesmere Port, CH65 3EN, United Kingdom.
(NOTIFIED BODY 0120)

OTHER INFORMATION

CLEANING / MAINTENANCE

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in a contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. Gloves may be washed with mild detergent then rinsed with clean water and allowed to dry, ideally with some air movement. **Care should be taken when removing gloves to avoid any contaminant contacting bare skin.**

STORAGE

Gloves should be ideally stored in cool dry conditions in the original package and out of direct sunlight.

OBSOLESCENCE

When stored as recommended will not suffer change in mechanical properties for up to 5 years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility of the user to ascertain the suitability of the glove for the intended use.

GENERAL

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.

PLEASE NOTE

The results of physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.