U Product Data and Information

Nitrile Palm Kevlar® Glove

Our Reference Sumo Plus 7,8,9,10
Quantity per Pack Ouantity per Box 120



X Denotes NOT Tested

PRODUCT DESCRIPTION

A 100% seamless Kevlar® liner with a tough nitrile coating to the palm. Elasticised wrist for a snug fit and the un-coated back improves ventilation. A tough glove with excellent mechanical properties.

TYPICAL APPLICATIONS

Mechanical protection in dry conditions, handling glass, metal, concrete blocks, lumber etc.

TECHNICAL DETAILS

Mechanical data in accordance with EN 388

Abrasion Resistance Level 4
Cut Resistance Level 4
Tear Resistance Level 4
Puncture Resistance Level 3

Not for use with liquids

WARNING

Chlorine bleach can cause strength loss on KEVLAR® at low concentrations. Do NOT use in or around chlorine bleach.

All results are taken from the palm area of the gloves

Tested in accordance with EN 388, EC type examination carried out by: SGS Yarsley International Certification Services Ltd. SGS House, 217 - 221 London Road, Camberley, Surrey, GU15 3EY, United Kingdom. (NOTIFIED BODY 0120)

OTHER INFORMATION

CLEANING / MAINTENANCE Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in a contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. Gloves may be washed after removal with mild detergent solution at a temperature not exceeding 40 deg. C and allowed to dry naturally, ideally with some air movement.

STORAGE Gloves should be ideally stored in cool dry conditions in the original package and out of direct sunlight.

OBSOLESCENCE When stored as recommended will not suffer change in mechanical properties for up to 5 years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility of

the user to ascertain the suitability of the glove for the intended use.

GENERAL None of the materials or processes used in the manufacture of these products are known to be harmful to

the wearer.

PLEASE NOTE

The results of physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer

to determine glove suitability for the intended use.