

# CRL FRAMELESS GLASS BALUSTRADE & POOL FENCING SYSTEMS


MELBOURNE

CATGBPFMEL\_01\_24\_ZD\_V2

## GLASS PANELS - 12MM GATE & HINGE POOL FENCE PANELS


CRL Glass Panels are Grade A toughened safety glass that is tested and certified to comply with AS/NZS 2208: 1996 Safety Glazing Materials in Buildings. All CRL balustrade panels are heat soaked to comply with standard EN 14179-1:2005.

**12 MM POOL GATE PANEL  
ORION NEW HOLE STYLE CUT OUT**




CAT. NO.	WIDTH	HEIGHT
<a href="#">OG8001200N</a>	800 mm	1200 mm
<a href="#">OG8501200N</a>	850 mm	1200 mm
<a href="#">OG9001200N</a>	900 mm	1200 mm

**12 MM POOL GATE PANEL  
ORION CLASSIC STYLE CUT OUT**




CAT. NO.	WIDTH	HEIGHT
<a href="#">PGG8001200</a>	800 mm	1200 mm
<a href="#">PGG9001200</a>	900 mm	1200 mm

**12 MM POOL HINGE PANEL  
ORION NEW HOLE STYLE CUT OUT**



CAT. NO.	WIDTH	HEIGHT
<a href="#">HP10001200N</a>	1000 mm	1200 mm
<a href="#">HP11001200N</a>	1100 mm	1200 mm
<a href="#">HP12001200N</a>	1200 mm	1200 mm
<a href="#">HP13001200N</a>	1300 mm	1200 mm
<a href="#">HP14001200N</a>	1400 mm	1200 mm
<a href="#">HP15001200N</a>	1500 mm	1200 mm
<a href="#">HP16001200N</a>	1600 mm	1200 mm
<a href="#">HP17001200N</a>	1700 mm	1200 mm
<a href="#">HP18001200N</a>	1800 mm	1200 mm


**12 MM POOL HINGE PANEL  
ORION CLASSIC STYLE CUT OUT**



CAT. NO.	WIDTH	HEIGHT
<a href="#">HP10001200</a>	1000 mm	1200 mm
<a href="#">HP11001200</a>	1100 mm	1200 mm
<a href="#">HP12001200</a>	1200 mm	1200 mm
<a href="#">HP13001200</a>	1300 mm	1200 mm
<a href="#">HP14001200</a>	1400 mm	1200 mm
<a href="#">HP15001200</a>	1500 mm	1200 mm
<a href="#">HP16001200</a>	1600 mm	1200 mm

## GLASS PANELS - 12MM POOL FENCE PANELS

	CAT. NO.	WIDTH	HEIGHT
<b>NEW</b>	PF2001200	200 mm	1200 mm
<b>NEW</b>	PF2501200	250 mm	1200 mm
	PF3001200	300 mm	1200 mm
	PF3501200	350 mm	1200 mm
	PF4001200	400 mm	1200 mm
	PF4501200	450 mm	1200 mm
	PF5001200	500 mm	1200 mm
	PF5501200	550 mm	1200 mm
	PF6001200	600 mm	1200 mm
	PF6501200	650 mm	1200 mm
	PF7001200	700 mm	1200 mm
	PF7501200	750 mm	1200 mm
	PF8001200	800 mm	1200 mm
	PF8501200	850 mm	1200 mm
	PF9001200	900 mm	1200 mm
	PF9501200	950 mm	1200 mm
	PF10001200	1000 mm	1200 mm
	PF10501200	1050 mm	1200 mm
	PF11001200	1100 mm	1200 mm
	PF11501200	1150 mm	1200 mm
	PF12001200	1200 mm	1200 mm
	PF12501200	1250 mm	1200 mm
	PF13001200	1300 mm	1200 mm
	PF13501200	1350 mm	1200 mm
	PF14001200	1400 mm	1200 mm
	PF14501200	1450 mm	1200 mm
	PF15001200	1500 mm	1200 mm
	PF15501200	1550 mm	1200 mm
	PF16001200	1600 mm	1200 mm
	PF16501200	1650 mm	1200 mm
	PF17001200	1700 mm	1200 mm
	PF17501200	1750 mm	1200 mm
	PF18001200	1800 mm	1200 mm
	PF18501200	1850 mm	1200 mm
	PF19001200	1900 mm	1200 mm
	PF19501200	1950 mm	1200 mm
	PF20001200	2000 mm	1200 mm





TOUGHENED POOL GLASS PANEL



## GLASS PANELS - 12MM RETAINING WALL POOL FENCE PANELS


CAT. NO.	HEIGHT	WIDTH
RWP13001200	1300 mm	1200 mm
RWP13501200	1350 mm	1200 mm
RWP14001200	1400 mm	1200 mm
RWP14501200	1450 mm	1200 mm
RWP15001200	1500 mm	1200 mm
RWP15501200	1550 mm	1200 mm
RWP16001200	1600 mm	1200 mm
RWP16501200	1650 mm	1200 mm
RWP17001200	1700 mm	1200 mm
RWP17501200	1750 mm	1200 mm
RWP18001200	1800 mm	1200 mm
RWP18501200	1850 mm	1200 mm
RWP19001200	1900 mm	1200 mm
RWP19501200	1950 mm	1200 mm
RWP20001200	2000 mm	1200 mm




## GLASS PANELS - 12MM HEAT SOAKED BALUSTRADE PANELS

CAT. NO.	WIDTH	HEIGHT
BP2001000	200 mm	1000 mm
BP2251000	225 mm	1000 mm
BP2501000	250 mm	1000 mm
BP2751000	275 mm	1000 mm
BP3001000	300 mm	1000 mm
BP3251000	325 mm	1000 mm
BP3501000	350 mm	1000 mm
BP3751000	375 mm	1000 mm
BP4001000	400 mm	1000 mm
BP4251000	425 mm	1000 mm
BP4501000	450 mm	1000 mm
BP4751000	475 mm	1000 mm
BP5001000	500 mm	1000 mm
BP5251000	525 mm	1000 mm
BP5501000	550 mm	1000 mm
BP5751000	575 mm	1000 mm
BP6001000	600 mm	1000 mm
BP6251000	625 mm	1000 mm
BP6501000	650 mm	1000 mm
BP6751000	675 mm	1000 mm
BP7001000	700 mm	1000 mm
BP7251000	725 mm	1000 mm
BP7501000	750 mm	1000 mm
BP7751000	775 mm	1000 mm
BP8001000	800 mm	1000 mm
BP8251000	825 mm	1000 mm
BP8501000	850 mm	1000 mm
BP8751000	875 mm	1000 mm
BP9001000	900 mm	1000 mm
BP9251000	925 mm	1000 mm
BP9501000	950 mm	1000 mm
BP9751000	975 mm	1000 mm
BP10001000	1000 mm	1000 mm

CAT. NO.	WIDTH	HEIGHT
BP10251000	1025 mm	1000 mm
BP10501000	1050 mm	1000 mm
BP10751000	1075 mm	1000 mm
BP11001000	1100 mm	1000 mm
BP11251000	1125 mm	1000 mm
BP11501000	1150 mm	1000 mm
BP11751000	1175 mm	1000 mm
BP12001000	1200 mm	1000 mm
BP12251000	1225 mm	1000 mm
BP12501000	1250 mm	1000 mm
BP12751000	1275 mm	1000 mm
BP13001000	1300 mm	1000 mm
BP13251000	1325 mm	1000 mm
BP13501000	1350 mm	1000 mm
BP13751000	1375 mm	1000 mm
BP14001000	1400 mm	1000 mm
BP14251000	1425 mm	1000 mm
BP14501000	1450 mm	1000 mm
BP14751000	1475 mm	1000 mm
BP15001000	1500 mm	1000 mm
BP15251000	1525 mm	1000 mm
BP15501000	1550 mm	1000 mm
BP15751000	1575 mm	1000 mm
BP16001000	1600 mm	1000 mm
BP16251000	1625 mm	1000 mm
BP16501000	1650 mm	1000 mm
BP16751000	1675 mm	1000 mm
BP17001000	1700 mm	1000 mm
BP17251000	1725 mm	1000 mm
BP17501000	1750 mm	1000 mm
BP17751000	1775 mm	1000 mm
BP18001000	1800 mm	1000 mm



HEAT SOAKED BALUSTRADE GLASS PANEL



## SURFACE MOUNT FRICTION FIT SPIGOTS

CRL Surface Mount Friction Fit Spigots are made of Duplex 2205 stainless steel which is both stronger and features better corrosion resistance than 316 stainless steel. The FWCS32 & FWCR32 models feature adjustability to allow plumbing of the glass with ease and a 2-piece splittable cover plate for the square model to further speed up installation. No glass fabrication is required and the glass is firmly secured by tightening two grub screws. A cover plate is included to conceal the fixing points and all styles are designed for 12mm toughened glass.



### CRL SQUARE SURFACE MOUNT ADJUSTABLE SPIGOT

CAT. NO.	FINISHES
<a href="#">FWCS32BS</a>	Brushed Stainless Steel
<a href="#">FWCS32PS</a>	Polished Stainless Steel
<a href="#">FWCS32MBL</a>	Matt Black



### CRL 2205 SQUARE SURFACE MOUNT POOL FENCE SPIGOT

CAT. NO.	FINISHES
<a href="#">PFSS22BS</a>	Brushed Stainless Steel
<a href="#">PFSS22PS</a>	Polished Stainless Steel
<a href="#">PFSS22MBL</a>	Matt Black



### CRL ROUND SURFACE MOUNT ADJUSTABLE SPIGOT

CAT. NO.	FINISHES
<a href="#">FWCR32BS</a>	Brushed Stainless Steel
<a href="#">FWCR32PS</a>	Polished Stainless Steel

\* Not for balustrade applications. Pool fence only.



### CRL REPLACEMENT COVER PLATE FOR SQUARE SURFACE SPIGOT

CAT. NO.	FINISHES
<a href="#">FWCS32BSG</a>	Brushed Stainless Steel
<a href="#">FWCS32PSG</a>	Polished Stainless Steel
<a href="#">FWCS32MBLG</a>	Matt Black




### CRL SQUARE SURFACE MOUNT MATT BLACK COVER PLATE SET

CAT. NO.	FINISHES
<a href="#">FWCS32CSMBL</a>	Matt Black




### CRL 316 STAINLESS STEEL BUGLE TIMBER SCREW 14 GAUGE

CAT. NO.	LENGTH
<a href="#">BSS1475</a>	75 mm
<a href="#">BSS14100</a>	100 mm



### CRL GALVANISED BUGLE TIMBER SCREW 14 GAUGE

CAT. NO.	LENGTH
<a href="#">BSG1475</a>	75 mm
<a href="#">BSG14100</a>	100 mm



### CRL CONCRETE ANCHOR GALVANISED SOCKET HEAD M8

CAT. NO.	LENGTH
<a href="#">CAGM875</a>	75 mm
<a href="#">CAGM8100</a>	100 mm

## CORE MOUNT FRICTION FIT SPIGOTS

CRL Core Mount Friction Fit Spigots are made of Duplex 2205 stainless steel which is both stronger and features better corrosion resistance than 316 stainless steel. No glass fabrication is required and the glass is firmly secured by tightening two grub screws. A cover plate is included to conceal the fixing point and all styles are designed for 12mm toughened glass.



**CRL SQUARE CORE MOUNT 280 MM FRICTION FIT SPIGOT**

CAT. NO.	FINISHES
<a href="#">FWCS12BS</a>	Brushed Stainless Steel
<a href="#">FWCS12PS</a>	Polished Stainless Steel
<a href="#">FWCS12MBL</a>	Matt Black



**CRL 2205 SQUARE CORE MOUNT 240 MM POOL FENCE SPIGOT**

CAT. NO.	FINISHES
<a href="#">PFSS12BS</a>	Brushed Stainless Steel
<a href="#">PFSS12PS</a>	Polished Stainless Steel
<a href="#">PFSS12MBL</a>	Matt Black

\* Not for balustrade applications. Pool fence only.



**CRL ROUND CORE MOUNT FRICTION FIT SPIGOT**

CAT. NO.	FINISHES
<a href="#">FWCR12BS</a>	Brushed Stainless Steel
<a href="#">FWCR12PS</a>	Polished Stainless Steel



**CRL REPLACEMENT COVER PLATE FOR SQUARE CORE MOUNT SPIGOT**

CAT. NO.	FINISHES
<a href="#">FWCS12BSG</a>	Brushed Stainless Steel
<a href="#">FWCS12PSG</a>	Polished Stainless Steel
<a href="#">FWCS12MBLG</a>	Matt Black



**CRL SQUARE CORE MOUNT MATT BLACK COVER PLATE SET**

CAT. NO.	FINISHES
<a href="#">FWCS12CSMBL</a>	Matt Black

**NEW**



**CRL 2 PIECE SPLITTABLE COVER PLATE FOR SQUARE CORE SPIGOT**

CAT. NO.	FINISHES
<a href="#">SCCP12BS</a>	Brushed Stainless Steel
<a href="#">SCCP12PS</a>	Polished Stainless Steel
<a href="#">SCCP12MBL</a>	Matt Black



**CRL KWIXSET® EXPANDING CEMENT**

CAT. NO.	SIZE
<a href="#">KW50</a>	22.7 KG
<a href="#">KW25</a>	11.3 KG



## SIDE MOUNT ADJUSTABLE FRICTION SPIGOTS

CRL Side Mount Adjustable Friction Spigots are designed to be face fixed to any surface. Perfect for balconies, staircases, landings and nib walls. They require no holes in the glass and provide easy installation with a patented adjustable feature allowing perfect alignment of glass. Made of durable corrosion resistant 316 grade stainless steel and come in brushed stainless, polished stainless and matt black finishes. Included in each box are 1 mm and 2 mm packing shims to allow for even more adjustment to uneven substrates.



**CRL SIDE MOUNT ADJUSTABLE FRICTION SPIGOT**

CAT. NO.	FINISHES
<a href="#">FWCF1BS</a>	Brushed Stainless Steel




**CRL SIDE MOUNT ADJUSTABLE FRICTION SPIGOT**

CAT. NO.	FINISHES
<a href="#">FWCF1PS</a>	Polished Stainless Steel



**CRL SIDE MOUNT ADJUSTABLE FRICTION SPIGOT**

CAT. NO.	FINISHES
<a href="#">FWCF1MBL</a>	Matt Black



## NONCONDUCTIVE COATING FRICTION SPIGOTS

CRL Nonconductive Coated Friction Spigots are made of duplex 2205 stainless steel which is both stronger and features better corrosion resistance than 316 stainless steel. The nonconductive coating allows the spigot to be unearthed - exempting it from AS3000 Clause 5.6.2.6.5 allowing it to be installed close to the pool. No glass fabrication is required and the glass is firmly secured by tightening two grub screws. A cover plate is included to conceal the fixing point and all styles are designed for 12mm toughened glass.



**CRL SQUARE SURFACE MOUNT WITH NONCONDUCTIVE COATING**

CAT. NO.	FINISHES
<a href="#">PFSS22NCSG</a>	Silver Grey



**CRL SQUARE SURFACE MOUNT WITH NONCONDUCTIVE COATING**

CAT. NO.	FINISHES
<a href="#">PFSS22NCMBL</a>	Matt Black



**CRL SQUARE CORE MOUNT WITH NONCONDUCTIVE COATING**

CAT. NO.	FINISHES
<a href="#">PFSS12NCSG</a>	Silver Grey



**CRL SQUARE CORE MOUNT WITH NONCONDUCTIVE COATING**







CAT. NO.	FINISHES
<a href="#">PFSS12NCMBL</a>	Matt Black



# ORION SOFT CLOSE HINGES

CRL Orion Soft Close Gate Hinges are a unique self-closing hinge designed for use in frameless glass gate applications. Composed of Duplex 2205 grade stainless steel the hinge is strong, durable and available in three finishes: Brushed Stainless Steel, Polished Stainless Steel and Matt Black.

With its combination of spring and unique vertical hydraulic damper assemblies, the hydraulic fluid seal is aligned vertically preventing fluid leaks and ensures parts are easily serviceable while withstanding harsh environmental conditions. It has also been specially designed to suit the classic mouse ear cutout or new hole only design cutout for glass gate and hinging panels.



## CRL GLASS-TO-GLASS MOUNT ORION SOFT CLOSE GATE HINGE PAIR

CAT. NO.	FINISHES
<a href="#">ORN180BS</a>	Brushed Stainless Steel
<a href="#">ORN180PS</a>	Polished Stainless Steel
<a href="#">ORN180MBL</a>	Matt Black

## CRL WALL MOUNT ORION SOFT CLOSE GATE HINGE PAIR


CAT. NO.	FINISHES
<a href="#">ORN037BS</a>	Brushed Stainless Steel
<a href="#">ORN037PS</a>	Polished Stainless Steel
<a href="#">ORN037MBL</a>	Matt Black

## CRL ROUND POST MOUNT ORION SOFT CLOSE GATE HINGE PAIR

CAT. NO.	FINISHES
<a href="#">ORN074BS</a>	Brushed Stainless Steel
<a href="#">ORN074PS</a>	Polished Stainless Steel
<a href="#">ORN074MBL</a>	Matt Black


## FRICION MAGNETIC GATE LATCH

CRL Friction Fit Gate Latches are constructed of high quality 316L stainless steel and require drilling on the gate panel only. Return panels friction fit with grub screws for quick installation and reduce glass processing costs. Available in 180 and 90 degree glass-to-glass and wall-to-glass variations.




### CRL 180 DEGREE GLASS-TO-GLASS FRICTION FIT GATE LATCH

CAT. NO.	FINISHES
<a href="#">FGL180BS</a>	Brushed Stainless Steel
<a href="#">FGL180PS</a>	Polished Stainless Steel
<a href="#">FGL180MBL</a>	Matt Black




### WALL TO GLASS FRICTION FIT GATE LATCH

CAT. NO.	FINISHES
<a href="#">FGL037BS</a>	Brushed Stainless Steel
<a href="#">FGL037PS</a>	Polished Stainless Steel
<a href="#">FGL037MBL</a>	Matt Black



### 90 DEGREE EXTERNAL GLASS-TO-GLASS FRICTION FIT GATE LATCH

CAT. NO.	FINISHES
<a href="#">FGL90BS</a>	Brushed Stainless Steel
<a href="#">FGL90PS</a>	Polished Stainless Steel
<a href="#">FGL90MBL</a>	Matt Black





### 90 DEGREE INTERNAL GLASS-TO-GLASS FRICTION GATE LATCH

CAT. NO.	FINISHES
<a href="#">FGL90IBS</a>	Brushed Stainless Steel
<a href="#">FGL90IPS</a>	Polished Stainless Steel
<a href="#">FGL90IMBL</a>	Matt Black



## GLASS Z-SERIES "D" CLAMPS - FRICTION FIT OR GLASS CUTOUT

This CRL Z-Series Flat Base "D" Glass Clamps are designed to be used on 12 mm thick glass. Constructed stainless steel, the clamps are the perfect solution for partitions, railings, windbreaks and countless other projects. The steel pin can be used for extra support in conjunction with a slot cutout in the glass, or can be removed for a friction fit application. The middle tension grub screw applies pressure to the bottom of the fixing plate and creates maximum strength / grip onto the glass, exceeding the capabilities of other common "D" clamps in the market.



### CRL SQUARE STYLE WALL TO GLASS "D" CLAMP

CAT. NO.	FINISHES
Z912BS	Brushed Stainless Steel
Z912PS	Polished Stainless Steel
Z912MBL	Matt Black




### CRL ROUND STYLE WALL TO GLASS "D" CLAMP

CAT. NO.	FINISHES
Z512BS	Brushed Stainless Steel
Z512PS	Polished Stainless Steel




## GLASS BRACING CLAMPS

CRL Glass Bracing Clamps are designed to provide extra stability and rigidity to glass panels. There is no need for holes in the glass, simply tighten the grub screw and you are done. Compatible with both 12 mm Toughened and 13.52 mm Laminated glass, they are perfect for balustrades, pool fencing, shower screens, and anywhere you need support without holes in the glass. Made of Duplex 2205 stainless steel, they feature both excellent strength and superior corrosion resistance. Available in brushed stainless, polished stainless and matt black finishes.




**CRL 90 DEGREE GLASS-TO-GLASS BRACING CLAMP**

CAT. NO.	FINISHES
<a href="#">GBC90BS</a>	Brushed Stainless Steel
<a href="#">GBC90PS</a>	Polished Stainless Steel
<a href="#">GBC90MBL</a>	Matt Black




**CRL 180 DEGREE GLASS-TO-GLASS BRACING CLAMP**

CAT. NO.	FINISHES
<a href="#">GBC180BS</a>	Brushed Stainless Steel
<a href="#">GBC180PS</a>	Polished Stainless Steel
<a href="#">GBC180MBL</a>	Matt Black



**CRL WALL TO GLASS BRACING CLAMP**

CAT. NO.	FINISHES
<a href="#">GBCWMBS</a>	Brushed Stainless Steel
<a href="#">GBCWMPS</a>	Polished Stainless Steel
<a href="#">GBCWMBL</a>	Matt Black



**CRL ADJUSTABLE GLASS-TO-GLASS BRACING CLAMP**


CAT. NO.	FINISHES
<a href="#">GBCADJBS</a>	Brushed Stainless Steel
<a href="#">GBCADJPS</a>	Polished Stainless Steel
<a href="#">GBCADJMBL</a>	Matt Black

## SQUARE 21MM X 25MM CAP RAIL

CRL Stainless Steel 25 x 21 mm Square Cap Rail can easily create a stylish glass railing system, capable of accommodating 10 mm or 12 mm glass.

It features a low profile design creating an unobtrusive look. Stock lengths are 5.8 m and available in brushed stainless, polished stainless and matt black finishes.

Corners, end caps and connectors are available and install easily with our 32629 Metal Contact Cement. Made in corrosion resistant 316L low carbon marine grade stainless steel.



**25 X 21 MM SQUARE CAP RAIL**

CAT. NO.	FINISHES
<a href="#">SLS25BS</a>	Brushed Stainless Steel
<a href="#">SLS25PS</a>	Polished Stainless Steel
<a href="#">SLS25MBL</a>	Matt Black

**NEW**



**25 X 21 MM SQUARE CAP RAIL RIGID RUBBER FOR 12 MM GLASS**

CAT. NO.	LENGTH
<a href="#">SLS25RR12</a>	2900 mm



**25 X 21 MM SQUARE CAP RAIL RIGID RUBBER FOR 12 MM GLASS**

CAT. NO.	LENGTH
<a href="#">SLG100</a>	10 m rolls



**180° INLINE CONNECTOR SLEEVE**

CAT. NO.	FINISHES
<a href="#">SLS25CBS</a>	Brushed Stainless Steel
<a href="#">SLS25CPS</a>	Polished Stainless Steel
<a href="#">SLS25CMBL</a>	Matt Black



**90° HORIZONTAL CORNER**

CAT. NO.	FINISHES
<a href="#">SLS25HBS</a>	Brushed Stainless Steel
<a href="#">SLS25HPS</a>	Polished Stainless Steel
<a href="#">SLS25HMBL</a>	Matt Black



**ADJUSTABLE HORIZONTAL JOINER**

CAT. NO.	FINISHES
<a href="#">SLS25HAJBS</a>	Brushed Stainless Steel
<a href="#">SLS25HAJPS</a>	Polished Stainless Steel
<a href="#">SLS25HAJMBL</a>	Matt Black



**ADJUSTABLE VERTICAL JOINER**

CAT. NO.	FINISHES
<a href="#">SLS25VAJBS</a>	Brushed Stainless Steel
<a href="#">SLS25VAJPS</a>	Polished Stainless Steel
<a href="#">SLS25VAJMBL</a>	Matt Black

**NEW**



**ADJUSTABLE VERTICAL CORNER JOINER LEFT SWING**

CAT. NO.	FINISHES
<a href="#">SLS25VAJLBS</a>	Brushed Stainless Steel
<a href="#">SLS25VAJLPS</a>	Polished Stainless Steel
<a href="#">SLS25VAJLMBL</a>	Matt Black

**NEW**



**ADJUSTABLE VERTICAL CORNER JOINER RIGHT SWING**

CAT. NO.	FINISHES
<a href="#">SLS25VAJRBS</a>	Brushed Stainless Steel
<a href="#">SLS25VAJRPS</a>	Polished Stainless Steel
<a href="#">SLS25VAJMBL</a>	Matt Black

# SQUARE 21MM X 25MM CAP RAIL



**NEW**



**WALL MOUNT END CAP**

CAT. NO.	FINISHES
<a href="#">SLS25WCBS</a>	Brushed Stainless Steel
<a href="#">SLS25WCPS</a>	Polished Stainless Steel
<a href="#">SLS25WCMBL</a>	Matt Black



**WALL MOUNT ADJUSTABLE END CAP**

CAT. NO.	FINISHES
<a href="#">SLS25WCADJBS</a>	Brushed Stainless Steel
<a href="#">SLS25WCADJPS</a>	Polished Stainless Steel
<a href="#">SLS25WCADJMBL</a>	Matt Black



**CONCEALED WALL MOUNT END CAP**

CAT. NO.	DESCRIPTION
<a href="#">SLS25CWCBS</a>	Brushed Stainless Steel
<a href="#">SLS25CWCPS</a>	Polished Stainless Steel
<a href="#">SLS25CWCMBL</a>	Matt Black



**END CAP**

CAT. NO.	FINISHES
<a href="#">SLS25ECBS</a>	Brushed Stainless Steel
<a href="#">SLS25ECPS</a>	Polished Stainless Steel
<a href="#">SLS25ECMBL</a>	Matt Black



**METAL CONTACT CEMENT GLUE**

CAT.NO.	DESCRIPTION
<a href="#">32629</a>	CRL Loctite® Metal Contact Cement
<a href="#">7649</a>	CRL Loctite® 60 Second Primer for Metal Contact Cement

## STANDOFFS

CRL Standoff Kits are designed to make installation simple and cost effective for many applications. The solid body and 10 mm thick tapered cap provide ultimate strength. Available in brushed stainless, polished stainless and matt black finishes. The 50 mm and 38 mm diameter assemblies feature M12 threads, a standard for many job requirements. Each standoff kit contains the cap, body, plastic washers and thread bush. **Threaded Rod and Hanger Bolts are sold separately.**

**Note:** Minimum 16 mm Holes Required in Glass For Assemblies.

### STANDOFF ASSEMBLIES



#### CRL 38 MM DIAMETER STANDOFF KIT M12 THREAD

CAT. NO.	DESCRIPTION	FINISH
<a href="#">AUS3810BS</a>	38 mm Dia x 10 mm	Brushed Stainless
<a href="#">AUS3810PS</a>	38 mm Dia x 10 mm	Polished Stainless
<a href="#">AUS3820BS</a>	38 mm Dia x 20 mm	Brushed Stainless
<a href="#">AUS3820PS</a>	38 mm Dia x 20 mm	Polished Stainless
<a href="#">AUS3820MBL</a>	38 mm Dia x 20 mm	Matt Black
<a href="#">AUS3830BS</a>	38 mm Dia x 30 mm	Brushed Stainless
<a href="#">AUS3830PS</a>	38 mm Dia x 30 mm	Polished Stainless
<a href="#">AUS3830MBL</a>	38 mm Dia x 30 mm	Matt Black
<a href="#">AUS3840BS</a>	38 mm Dia x 40 mm	Brushed Stainless
<a href="#">AUS3840PS</a>	38 mm Dia x 40 mm	Polished Stainless
<a href="#">AUS3850BS</a>	38 mm Dia x 50 mm	Brushed Stainless
<a href="#">AUS3850PS</a>	38 mm Dia x 50 mm	Polished Stainless
<a href="#">AUS3850MBL</a>	38 mm Dia x 50 mm	Matt Black

**Note:** Minimum 16 mm Hole Required in Glass.

#### CRL 50 MM DIAMETER STANDOFF KIT M12 THREAD

CAT. NO.	DESCRIPTION	FINISH
<a href="#">AUS5010BS</a>	50 mm Dia x 10 mm	Brushed Stainless
<a href="#">AUS5010PS</a>	50 mm Dia x 10 mm	Polished Stainless
<a href="#">AUS5020BS</a>	50 mm Dia x 20 mm	Brushed Stainless
<a href="#">AUS5020PS</a>	50 mm Dia x 20 mm	Polished Stainless
<a href="#">AUS5020MBL</a>	50 mm Dia x 20 mm	Matt Black
<a href="#">AUS5030BS</a>	50 mm Dia x 30 mm	Brushed Stainless
<a href="#">AUS5030PS</a>	50 mm Dia x 30 mm	Polished Stainless
<a href="#">AUS5030MBL</a>	50 mm Dia x 30 mm	Matt Black
<a href="#">AUS5040BS</a>	50 mm Dia x 40 mm	Brushed Stainless
<a href="#">AUS5040PS</a>	50 mm Dia x 40 mm	Polished Stainless
<a href="#">AUS5050BS</a>	50 mm Dia x 50 mm	Brushed Stainless
<a href="#">AUS5050PS</a>	50 mm Dia x 50 mm	Polished Stainless
<a href="#">AUS5050MBL</a>	50 mm Dia x 50 mm	Matt Black

**Note:** Minimum 16 mm Hole Required in Glass.



#### CRL 38 MM & 50 MM DIAMETER ADJUSTABLE STANDOFF KIT M12 THREAD

CAT. NO.	DESCRIPTION	FINISH
<a href="#">ADJSOB112BS</a>	38 mm Dia x 30 mm	Brushed Stainless
<a href="#">ADJSOB112PS</a>	38 mm Dia x 30 mm	Polished Stainless
<a href="#">ADJSOB2BS</a>	38 mm Dia x 50 mm	Brushed Stainless
<a href="#">ADJSOB2PS</a>	38 mm Dia x 50 mm	Polished Stainless

**Note:** Minimum 16 mm Hole Required in Glass.

## STANDOFFS

### FIXINGS



#### CRL STAINLESS M12 THREADED ROD 316

CAT. NO.	DESCRIPTION
<a href="#">TRM1225</a>	Concrete / Steel Rod 25 mm Long x M12
<a href="#">TRM1290</a>	Concrete / Steel Rod 90 mm Long x M12
<a href="#">TRM12120</a>	Concrete / Steel Rod 120 mm Long x M12
<a href="#">TRM12160</a>	Concrete / Steel Rod 150 mm Long x M12



#### CRL LONG M12 HANGER BOLT

CAT. NO.	DESCRIPTION
<a href="#">HBM1240</a>	Timber Fixing 40 mm Long x M12
<a href="#">HBM1260</a>	Timber Fixing 60 mm Long x M12
<a href="#">HBM1290</a>	Timber Fixing 90 mm Long x M12
<a href="#">HBM12120</a>	Timber Fixing 120 mm Long x M12
<a href="#">HDM660</a>	M6 Hanger Bolt Driver



#### CHEMSET

CAT. NO.	DESCRIPTION
<a href="#">SCA1400</a>	Chemical Anchor 280 ml Grey



#### CRL STANDOFF WRENCHES

CAT. NO.	DESCRIPTION
<a href="#">ASW12</a>	Adjustable Strap Wrench
<a href="#">SOTT3850</a>	Standoff Tightener 38mm & 50mm
<a href="#">SSW12</a>	Zinc Standoff Wrench 38mm & 50mm

### ACCESSORIES



#### CRL REPLACEMENT GASKETS

CAT. NO.	DESCRIPTION
<a href="#">AUSW38</a>	38 mm Dia Flat Washer 14mm Hole
<a href="#">AUSW50</a>	50 mm Dia Flat Washer 14mm Hole
<a href="#">AUSWB38</a>	38 mm Dia Flat Washer 16mm Hole
<a href="#">AUSWB50</a>	50 mm Dia Flat Washer 16mm Hole
<a href="#">AUSG3850</a>	Grommet Sleeve for M12 Thread



#### CRL REPLACEMENT CAP ASSEMBLIES

CAT. NO.	DESCRIPTION
<a href="#">CAP38BS</a>	38 mm Dia Cap Assembly Brushed Stainless
<a href="#">CAP38PS</a>	38 mm Dia Cap Assembly Polished Stainless
<a href="#">CAP38MBL</a>	38 mm Dia Cap Assembly Matt Black
<a href="#">CAP50BS</a>	50 mm Dia Cap Assembly Brushed Stainless
<a href="#">CAP50PS</a>	50 mm Dia Cap Assembly Polished Stainless
<a href="#">CAP50MBL</a>	50 mm Dia Cap Assembly Matt Black

## TOOLS AND CONSUMABLES



CAT. NO.	DESCRIPTION
<b>7265SAU</b>	Single Sided Slab Buggy 1000 KG W/L



CAT. NO.	DESCRIPTION
<b>S338</b>	Pump Up Vacuum Lifter 68KG W/L



CAT. NO.	DESCRIPTION
<b>RB200</b>	CRL Glass Rolling Blocks



CAT. NO.	DESCRIPTION
<b>GSD2AU</b>	Self Locking Dolly 500 KG W/L



CAT. NO.	DESCRIPTION
<b>300AFS</b>	Atlas Fit Gloves - Small
<b>300AFM</b>	Atlas Fit Gloves - Medium
<b>300AFL</b>	Atlas Fit Gloves - Large
<b>300AFXL</b>	Atlas Fit Gloves - Extra Large



CAT. NO.	DESCRIPTION
<b>51S</b>	Single Edge Razor Blades 100 Pack



CAT. NO.	DESCRIPTION
<b>1105</b>	Universal Shears



CAT. NO.	DESCRIPTION
<b>KM27RD</b>	Newborn Ratchet Caulking Gun



CAT. NO.	DESCRIPTION
<b>55BSS</b>	CRL Sealant Finishing Tool

## TOOLS AND CONSUMABLES



CAT. NO.	DESCRIPTION
<b>FWCSTAND</b>	Spigot Leveling Stand



CAT. NO.	DESCRIPTION
<b>RC1840B</b>	Low Tack Foam Pads 18x18x4mm
<b>RCES1840B</b>	Electro Static Foam Pads 18x18x4mm



CAT. NO.	DESCRIPTION
<b>GPS10G</b>	General Purpose Silicone Grey
<b>GPS10W</b>	General Purpose Silicone White
<b>GPS10B</b>	General Purpose Silicone Black
<b>GPS10C</b>	General Purpose Silicone Clear



CAT. NO.	DESCRIPTION
<b>TPC16</b>	Surface Protector



CAT. NO.	DESCRIPTION
<b>1973</b>	CRL Glass Cleaner



CAT. NO.	DESCRIPTION
<b>WSR1</b>	Bio Clean



CAT. NO.	DESCRIPTION
<b>MFW12</b>	Microfiber Wipes 12 Pack



CAT. NO.	DESCRIPTION
<b>CRLREPEL32</b>	CRL Repel All Purpose Glass Cleaner



CAT. NO.	DESCRIPTION
<b>VPG100</b>	200 gm Aerosol DIY Kit
<b>VPG1L</b>	Vitroglaze Protective Coating 1L
<b>PRC1L</b>	Vitroglaze Pre-Cleaner 1L



**Call on 1800 424 275**

Fax on 1800 813 013

**Melbourne**

42 Enterprise Drive

Rowville

VIC 3178

Tel. +61 3 9764 8322

**Sydney**

9 Shale Place

Eastern Creek

NSW 2766

Tel. +61 2 9851 3444

**Enquiries**

Email: [crlaus@crlaurence.com](mailto:crlaus@crlaurence.com)

[www.crlaurence.com.au](http://www.crlaurence.com.au)

**CRL**<sup>®</sup>